

Tatami making kit manual

2016

Morita tatami mat maker

<http://www.tatami-mat.net/>

Introduction .

Thank you indeed for I received your purchase of Tatami making kit.

We have developed a KIT in order to provide a tatami inexpensive.

Mechanism is simple.

Please prepare a work place and plywood and staples and gloves.

The size of the plywood is as follows.

For example, if the finished size of width 90cm x length 180cm,

Plywood, please cut to 898mm x 1797mm.

Width to 2 mm, a length of 3 mm small.

When placing a buffer material (such as fleece) is the measure well fleece thickness,

Please cut the plywood.

Please be up to 2cm thickness of the plywood.


Border expects that it sewn on tatami it from pulling strongly.

If you want to use in the kit, there is a possibility that out a little wrinkle.

In that case, please extend the wrinkles using a towel and steam irons.

The method has been written in the manual.

Email : morita@tatami-mat.net



1. Goza(tatami making kit) is put on the work table.

2. Please sew Border and affirm the applied string.



Please bend Border centering on the string.
Please bend Border on the both side.

3. Goza is turn over.





Goza is turned inside out in the Photograph above.

4. Plywood is put on Goza



Goza has overflowed plywood by about 15 cm.
Please fold the overflowed over the ENDS.

5. One end that have overflowed are fixed with the stapler to the back.



When the staple does not turn well, please hit it with a hammer.

6. Please turn over and pull Goza tight over the other end , then staple edge of the end.



The staple is striker to the edge of the end every 3cm. Staple edge of both ends.



Important : Do not staple edge of Border.

While pulling the middle, please sell the staple.



While pulling the other end, please hit the staple.



The portion that is not hit the staple, please hit while pulling.




Please Turn over the Goza and plywood.



Processing of Border




The initial state,
the Goza and the Border
have connected by thread.



Insert the cutter between the Border and Goza,
please cut the thread little by little.



So as not to cut the Border and Goza,
please cut the thread little by little.



Yarn aspects Please also cut about half.

Fixing the Goza



Please be fixed by stapler while pulling strongly Goza in the direction of the arrow.




This, fixed at both ends of the Goza has been completed.

Fixing the Goza - Four corners



Please pull strongly in the white arrow direction.
When you pull strongly, because the tatami will move,
please ask them kept to someone.



Please return the Border to the tatami side.
In that case, please do not loosen the force to pull. (As far as possible)
If you loose Once, please pull again in the black arrow direction.

Fixing the Goza - Four corners



Please by folding the Border that protrudes to the outside to the inside.



Fixing the Goza - Four corners



Once folded the Border, please be stapled.

Please finish the remaining three places.



Finish of the Border

Please turned over the tatami.

I think wrinkle has appeared in Border.

Please be pulling in the same way as the photo below.

By pulling in the direction of the arrow (obliquely downward), please be stapled.

Please do this in the four corners.



Finish of the Border

Also turned over the tatami, please put out the back.

While pulling the Border in the direction of the arrow, please be fixed to plywood.

Please fix the other Border is also in the same way.

Please check the wrinkles of the Border.

If there is a wrinkle, please towels and steam irons.



It is all right with a dry towel. Please use the steam iron. While plenty out the steam, please ironed.

So as not to stop in one place, please use while moving slowly. Since the Border is made of nylon, it will melt the iron hits directly.

Please be careful.